REFERENCES

1. Ackland TR, Ong KB, Kerr DA, Ridge B. (2003). Morphological characteristics of Olympic sprint canoe and kayak paddlers. Journal of Science and Medicine in Sport. 6:285-294.
2. Bayios IA, Bergeles NK, Apostolidis NG, Noutsos KS, Koskolou MD. (2006). Anthropometric, body composition and somatotype differences of Greek elite female basketball, volleyball and handball players. J Sports Med Phys Fitness, 46, 2: 271-80.
3. Bourgois J, Albrecht L, Claessens Jv, Renaat P, Renterghem Bv, Thomis M, Janssens M, Loos R, Lefevre J. (2000). Anthropometric characteristics of elite male junior rowers. British Journal of Sports Medicine. 34:213-216.
4. Bourgois J, Claessens Al, Janssens M, Van Renterghem B, Loos R, Thomis M,Philippaerts R, Lefevre J, Vrijens J. (2001). Anthropometric characteristics of elite female junior rowers. J Sports Sci. 19(3):195-202.
5. Cagno A, Baldari C, Battaglia C, Guidetti L, Piazza M. (2009). Anthropometric characteristics evolution in elite rhythmic gymnasts. Ital J Anat Embryol, 113, 1: 29-35.
6. Camic CL, Housh TJ, Mielke M, Hendrix CR, M Zuniga J, Johnson GO, Housh DJ,Schmidt RJ. (2009). Age-related patterns of anthropometric characteristics in young wrestlers. Med Sci Sports Exerc, 41, 5:1014-9.
7. Carling C, le Gall F, Reilly T, Williams AM. (2009). Do anthropometric and fitness characteristics vary according to birth date distribution in elite youth academy soccer players? Scand J Med Sci Sports, 19, 1: 3-9.
8. Chaouachi A, Brughelli M, Levin G, Boudhina NB, Cronin J, Chamari K. (2009). Anthropometric, physiological and performance characteristics of elite teamhandball players. J Sports Sci. 15, 27, 2:151-7.
9. Chatterjee S, Chatterjee P, Bandyopadhyay A. (2006). Skinfold thickness, body fat percentage and body mass index in obese and non-obese Indian boys. Asia Pacific Journal of Clinical Nutrition. 15: 232–235.

10. Claessens Al, Hlatky S, Lefevre J, Holdhaus H. (1994). The role of anthropometriccharacteristics in modern pentathlon performance in female athletes. Journal of Sports Sciences. 12:391-401.
11. Claessens, A.L., Hlatky, S., Lefevre, J., & Holdhaus, H. (1994). The role ofanthropometric characteristics in modern pentathlon performance in female athletes. Journal of Sports Sciences, 12, 391-401.
12. D.B. Pyne, A.S. Gardner, K. Sheehan, W.G. Hopkins. (2006). Positional differences in fitness and anthropometric characteristics in Australian football. Journal of Science and Medicine in sports, 9, 1-2: 143-150.
13. Davies R, Du-Randt R, Venter D, Stretch R. (2008). Cricket: Nature and incidence of fast-bowling injuries at an elite, junior level and associated risk factors. SouthAfrican Journal of Sports Medicine. 20(4):115-118.
14. Davor Šentija, Marija Rakovac, Vesna Babić. (2011). Anthropometric characteristics and gait transition speed in human locomotion. Human Movement Science, In Press, Corrected Proof, Available online.
15. Douda HT, Toubekis AG, Avloniti AA, Tokmakidis SP. (2008). Physiological and anthropometric determinants of rhythmic gymnastics performance. Int J Sports Physiol Perform, 3, 1: 41-54.
16. Duncan MJ, Woodfield L, al-Nakeeb Y. (2006). Anthropometric and physiological characteristics of junior elite volleyball players. Br J Sports Med, 40, 7: 649- 51.
17. Dupler TL, Amonette WE, Coleman AE, Hoffman JR, Wenzel T. (2010). Anthropometric and performance differences among high-school football players. J Strength Cond Res, 24, 8:1975-82.
18. Figueiredo AJ, Coelho E Silva MJ, Cumming SP, Malina RM. (2010). Size and maturity mismatch in youth soccer players 11- to 14-years-old. Pediatr Exerc Sci, 2, 4:596-612.
19. Fonseca-Toledo C, Roquetti P, Fernandes-Filho J. (2010). Anthropometrical profile of Brazilian junior volleyball players for different sports requirement levels. Rev Salud Publica.12, 6: 915-28. Franck le Gall, Christopher Carling, Mark Williams, Thomas Reilly. (2010).

20. Anthropometric and fitness characteristics of international, professional and amateur male graduate soccer players from an elite youth academy. Journal of Science and Medicine in sports, 13, 1: 90-95.
21. French KE, Spurgeon JH, Nevett ME. (2007). Anthropometric characteristics of Columbia, South Carolina, youth baseball players and Dixie Youth World Series players. Res Q Exerc Sport, 78, 3: 179-88.
22. Gabbet Tj. (2000). Physiological and anthropometric characteristics amateur rugby players. British Journal of Sports Medicine. 34:303-307.
23. Gabbett T, Georgieff B. (2007). Physiological and anthropometric characteristics of Australian junior national, state, and novice volleyball players. J Strength Cond Res,21,3: 902-8.
24. Gabbett T, Kelly J, Ralph S, Driscoll D. (2009). Physiological and anthropometric characteristics of junior elite and sub-elite rugby league players, with special reference to starters and non-starters. J Sci Med Sport, 12, 1: 215-22.
25. Gabbett TJ, Jenkins DG, Abernethy B. (2010). Physiological and anthropometric correlates of tackling ability in junior elite and subelite rugby league players. J Strength Cond Res, 24, 11: 2989-95.
26. Gabbett TJ. (2006). A comparison of physiological and anthropometric characteristics among playing positions in sub-elite rugby league players. J Sports Sci, 24, 12:1273-80.
27. Gabbett TJ. (2007). Physiological and anthropometric characteristics of elite women rugby league players J Strength Cond Res, 21, 3: 875-81.
28. Gabbett TJ. (2009). Physiological and anthropometric characteristics of starters and non-starters in junior rugby league players, aged 13-17 years. J Sports Med Phys Fitness, 49, 3:233-9.
29. Ghosh A. (2010). Association of anthropometric, body composition and physiological measures with physical activity level among the children and adolescents of Asian Indian origin: the Calcutta obesity study. J Nutr Health Aging, 14, 9:731-5.

30. Gil S, Ruiz F, Irazusta A, Gil J, Irazusta J. (2007). Selection of young soccer players in terms of anthropometric and physiological factors. J Sports Med Phys Fitness, 47,1: 25-32.
31. Gil SM, Gil J, Ruiz F, Irazusta A, Irazusta J. (2007). Physiological and anthropometric characteristics of young soccer players according to their playing position: relevance for the selection process. J Strength Cond Res, 21, 2: 438-45.
32. Goić-Barisić I, Bradarić A, Erceg M, Barisić I, Foretić N, Pavlov N, Tocilj J. (2006). Influence of passive smoking on basic anthropometric characteristics and respiratory function in young athletes. Coll Antropol, 30, 3: 615-9.
33. Gravina L, Gil SM, Ruiz F, Zubero J, Gil J, Irazusta J. (2008). Anthropometric and physiological differences between first team and reserve soccer players aged 10-14 years at the beginning and end of the season. J Strength Cond Res,22,4:1308-14.
34. Greene JJ, McGuine TA, Leverson G, Best TM. (1998). Anthropometric and performance measures for high school basketball players. J Athl Train, 33, 3: 229-32.
35. Gravina L, Gil SM, Ruiz F, Zubero J, Gil J, Irazusta J. (2008). Anthropometric and physiological differences between first team and reserve soccer players aged 10-14 years at the beginning and end of the season. J Strength Cond Res,22,4:1308-14.